

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1  
Revision date: 10/11/2014

Page 1 of 8  
Print date: 10/11/2014

### SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: TECNOJUNTA FLEX  
Product Code: TECJ

#### 1.2 Relevant identified uses of the mixture and uses advised against.

Tile adhesive

#### 1.3 Details of the supplier of the safety data sheet.

Company: **FIXCER PRODUCTS, S.A.**  
Address: CTRA. SANT CUGAT KM. 3  
City: CERDANYOLA DEL VALLÈS  
Province: BARCELONA  
Telephone: 93 586 20 03  
Fax: 93 586 10 91  
E-mail: fixcer@fixcer.com

**1.4 Emergency telephone number:** 93 586 20 03 (Only available during office hours)

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the mixture.

In accordance with Directive 1999/45/EC: Xi  
Irritating to eyes, respiratory system and skin.  
In accordance with Regulation (EU) No 1272/2008:  
Eye Irrit. 2 : Causes serious eye irritation.  
Skin Irrit. 2 : Causes skin irritation.  
STOT SE 3 : May cause respiratory irritation.

#### 2.2 Label elements.

#### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

#### **Warning**

H statements:

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

P statements:

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1  
Revision date: 10/11/2014

Page 2 of 8  
Print date: 10/11/2014

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains:  
Cement, portland, chemicals

### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

### 3.1 Mixtures.

Substances posing a danger to health or the environment in accordance with the Hazardous Substances Directive 67/548/EEC or Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification Regulation (EC) No 1272/2008	(*)Classification Directive 67/548/CEE
Index No: CAS No: 65997-15-1 EC No: 266-043-4 Registration No: N/D	[1] Cement, portland, chemicals	20 - 50 %	Eye Irrit. 2, H319 - Skin Irrit. 2, H315 - STOT SE 3, H335	Xi R36/37/38

(\*) The complete text of the R and H phrases is given in section 16 of this Safety Data Sheet.  
[1] Substance with a Community workplace exposure limit (see section 8.1).

## SECTION 4: FIRST AID MEASURES.

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

#### Eye contact.

If wearing contact lenses, remove them. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. **NEVER** use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. **NEVER** induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate. Can cause allergic reactions.

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1  
Revision date: 10/11/2014

Page 3 of 8  
Print date: 10/11/2014

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

## SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

### 5.1 Extinguishing media.

#### Recommended extinguishing methods.

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray. Do not use a direct stream of water to extinguish.

### 5.2 Special hazards arising from the mixture.

#### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and gloves.

## SECTION 6: ACCIDENTAL RELEASE MEASURES.

### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

### 7.1 Precautions for safe handling.

For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

### 7.3 Specific end use(s).

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1  
Revision date: 10/11/2014

Page 4 of 8  
Print date: 10/11/2014

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m <sup>3</sup>
Cement, portland, chemicals	65997-15-1	España [1]	Eight hours		3 (fracción respirable)
			Short term		

[1] Según la lista de Valores Límite Ambientales de Exposición Profesional adoptados por el Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT) para el año 2012.

#### 8.2 Exposure controls.

##### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

##### Breathing protection:

PPE: Particle filter mask

Characteristics: «CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.

CEN standards: EN 149



Maintenance: Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.

Observations: Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.

##### Hand protection:

PPE: Protective gloves against chemicals.

Characteristics: «CE» marking, category III.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420



Maintenance: Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.

Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.

Protective creams can help to protect exposed areas of the skin. These creams must **NEVER** be applied once exposure has occurred.

##### Eye protection:

PPE: Protective goggles against particle impacts.

Characteristics: «CE» marking, category II. Eye protector against dust and smoke.

CEN standards: EN 165, EN 166, EN 167, EN 168



# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)



## TECNOJUNTA FLEX

Version: 1

Revision date: 10/11/2014

Page 5 of 8

Print date: 10/11/2014

Maintenance: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.

Observations: Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.

### **Skin protection:**

PPE: Protective clothing.

Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.

CEN standards: EN 340

Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.

Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.

PPE: Work footwear.

Characteristics: «CE» marking, category II.

CEN standards: EN ISO 13287, EN 20347

Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.

Observations: Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### **9.1 Information on basic physical and chemical properties.**

Appearance: Odourless powder with characteristic colour

Odour: N.A./N.A.

Odour threshold: N.A./N.A.

pH: N.A./N.A.

Melting point: N.A./N.A.

Boiling Point: N.A./N.A.

Flash point: > 55 °C

Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A.

Lower Explosive Limit: N.A./N.A.

Upper Explosive Limit: N.A./N.A.

Vapour pressure: N.A./N.A.

Vapour density: N.A./N.A.

Relative density: N.A./N.A.

Solubility: N.A./N.A.

Liposolubility: N.A./N.A.

Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A.

Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A.

Oxidizing properties: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

### **9.2. Other information.**

VOC content (p/p): 0 %

VOC content: 0 g/l

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1  
Revision date: 10/11/2014

Page 6 of 8  
Print date: 10/11/2014

### SECTION 10: STABILITY AND REACTIVITY.

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

#### 10.4 Conditions to avoid.

Avoid temperatures near or above the flash point. Do not heat closed containers.

#### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

#### 10.6 Hazardous decomposition products.

In case of fire, dangerous decomposition products can be generated, such as carbon monoxide and dioxide and nitrogen fumes and oxides.

### SECTION 11: TOXICOLOGICAL INFORMATION.

#### 11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

No information is available regarding the toxicity of the substances present.

### SECTION 12: ECOLOGICAL INFORMATION.

#### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

#### 12.2 Persistence and degradability.

No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation of the substances present.

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

### SECTION 13 DISPOSAL CONSIDERATIONS.

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1  
Revision date: 10/11/2014

Page 7 of 8  
Print date: 10/11/2014

### SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

**14.1 UN number.**

Transportation is not dangerous.

**14.2 UN proper shipping name.**

Transportation is not dangerous.

**14.3 Transport hazard class(es).**

Transportation is not dangerous.

**14.4 Packing group.**

Transportation is not dangerous.

**14.5 Environmental hazards.**

Transportation is not dangerous.

**14.6 Special precautions for user.**

Transportation is not dangerous.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code.**

Transportation is not dangerous.

### SECTION 15: REGULATORY INFORMATION.

**15.1 Safety, health and environmental regulations/legislation specific for the mixture.**

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

See annex I of the Directive 96/82/EC of 9 December 1996 on the control of major-accident hazards involving dangerous substances and the Regulation (EC) No 689/2008 of the European Parliament and of the Council of 17 June 2008 concerning the export and import of dangerous chemicals and its subsequent updates.

**15.2 Chemical safety assessment.**

There has been no evaluation a chemical safety assessment of the product.

### SECTION 16: OTHER INFORMATION.

Complete text of the R phrases that appear in section 3:

R36/37/38            Irritating to eyes, respiratory system and skin.

Complete text of the H phrases that appear in section 3:

H315                Causes skin irritation.  
H319                Causes serious eye irritation.  
H335                May cause respiratory irritation.

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

**Labelling in accordance with Directive 1999/45/EC:**

Symbols:

# SAFETY DATA SHEET

(in accordance with Regulation (EU) No 453/2010)

## TECNOJUNTA FLEX



Version: 1

Revision date: 10/11/2014

Page 8 of 8

Print date: 10/11/2014

Xi



Irritant

R Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin.

S Phrases:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S60 This material and its container must be disposed of as hazardous waste.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.