

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 1 of 9

Print date: 24/03/2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: HIDROPROOF  
Product Code: HPROOF

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Pintura elástica impermeable

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **FIXCER PRODUCTS, S.A.U.**  
Address: CTRA. SANT CUGAT KM. 3  
City: CERDANYOLA DEL VALLÈS  
Province: BARCELONA  
Telephone: 93 586 20 03  
Fax: 93 586 10 91  
E-mail: fixcer@fixcer.com  
Web: www.fixcer.com

**1.4 Emergency telephone number:** Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420. (Available 24 hours)  
Servicio de Información Toxicológica (Instituto Nacional de Toxicología y Ciencias Forenses) Teléfono: +34 91 5620420.  
Información en español (24h/365 días). Únicamente con la finalidad de proporcionar respuesta sanitaria en caso de urgencia.

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

#### 2.2 Label elements.

EUH statements:

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.  
The mixture does not contain substances classified as vPvB.  
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| Identifiers | Name | Concentrate | (*)Classification - Regulation (EC)<br>No 1272/2008 |
|-------------|------|-------------|---|
|-------------|------|-------------|---|

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 2 of 9

Print date: 24/03/2023

|  |   |              | Classification | Specifics concentration limits and Acute toxicity estimate |
|--|---|--------------|----------------|--|
| CAS No: 1317-65-3<br>EC No: 215-279-6  | [2] Calcium Carbonate   | 25 - 50 %    | -              | -  |
| CAS No: 14807-96-6<br>EC No: 238-877-9<br>Registration No: 01-2120140278-58-XXXX | [2] Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )                   | 2.5 - 10 %   | -              | -  |
| Index No: 613-167-00-5<br>CAS No: 55965-84-9                                     | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 0 - 0.0015 % | -              | -  |

(\*): The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[2] Substance with a national workplace exposure limit (see section 8.1).

### SECTION 4: FIRST AID MEASURES.

#### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

#### Inhalation.

If breathing stops, give artificial respiration and seek immediate medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing.

#### Ingestion.

Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### SECTION 5: FIREFIGHTING MEASURES.

#### 5.1 Extinguishing media.

##### Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

##### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

##### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 3 of 9

Print date: 24/03/2023

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

### **Fire protection equipment.**

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: ACCIDENTAL RELEASE MEASURES.

### **6.1 Personal precautions, protective equipment and emergency procedures.**

For exposure control and individual protection measures, see section 8.

### **6.2 Environmental precautions.**

Product not classified as hazardous for the environment, avoid spillage as much as possible.

### **6.3 Methods and material for containment and cleaning up.**

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

### **6.4 Reference to other sections.**

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

### **7.1 Precautions for safe handling.**

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### **7.2 Conditions for safe storage, including any incompatibilities.**

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 25 °C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

### **7.3 Specific end use(s).**

Not available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

### **8.1 Control parameters.**

Work exposure limit for:

| Name              | CAS No.   | Country            | Limit value | ppm | mg/m <sup>3</sup>                   |
|-------------------|-----------|--------------------|-------------|-----|-------------------------------------|
| Calcium Carbonate | 1317-65-3 | United Kingdom [1] | Eight hours |     | 10 (total inhalable) 4 (respirable) |
|                   |           |                    | Short term  |     |                                     |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 4 of 9

Print date: 24/03/2023

|                              |                    |   |                    |                    |   |  |  |
|------------------------------|--------------------|---|--------------------|--------------------|---|--|--|
|                              |                    | Éire [2]  | <b>Eight hours</b> |                    | 10 (inhalable dust) 4 (respirable dust)   |  |  |
|                              |                    |   | <b>Short term</b>  |                    |   |  |  |
|                              |                    | United States [3] (Cal/OSHA)  | <b>Eight hours</b> |                    | 10 (Total dust) 5 (Respirable fraction)   |  |  |
|                              |                    |   | <b>Short term</b>  |                    |   |  |  |
|                              |                    | United States [4] (NIOSH)   | <b>Eight hours</b> |                    | 10 (Total dust) 5 (Respirable fraction)   |  |  |
|                              |                    |   | <b>Short term</b>  |                    |   |  |  |
|                              |                    | United States [5] (OSHA)  | <b>Eight hours</b> |                    | 15 (Total dust) 5 (Respirable fraction)   |  |  |
|                              |                    |   | <b>Short term</b>  |                    |   |  |  |
|                              |                    | Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) | 14807-96-6         | España [6]         | <b>Eight hours</b>  |  | 2 (sin fibras de amianto, fracción respirable),0,1(c on fibras de amianto 0,1( fibras/cm <sup>3</sup> )) |
|                              |                    |   |                    |                    | <b>Short term</b>   |  |  |
|                              |                    |   |                    | United Kingdom [1] | <b>Eight hours</b>  |  | 1  |
|                              |                    |   |                    |                    | <b>Short term</b>   |  |  |
| Éire [2]                     | <b>Eight hours</b> |   |                    |                    | 10 (Inhalable dust) 0,8 (Respirable dust)   |  |  |
|                              | <b>Short term</b>  |   |                    |                    |   |  |  |
| United States [3] (Cal/OSHA) | <b>Eight hours</b> |   |                    |                    | not containing asbestos: 2 (resp.)  |  |  |
|                              | <b>Short term</b>  |   |                    |                    |   |  |  |
| United States [4] (NIOSH)    | <b>Eight hours</b> |   |                    |                    | not containing asbestos: 2 (resp.), containing asbestos: Use asbestos limit.  |  |  |
|                              | <b>Short term</b>  |   |                    |                    |   |  |  |
| United States [5] (OSHA)     | <b>Eight hours</b> |   |                    |                    | not containing asbestos: 20 (mppcf:Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. Conversion factors - mppcf X 35.3 = million particles per cubic meter = particles per c.c.), containing asbestos: Use asbestos limit |  |  |
|                              | <b>Short term</b>  |   |                    |                    |   |  |  |

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 5 of 9

Print date: 24/03/2023

[2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[3] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[4] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[5] Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).




[6] Según la lista de Valores Límite Ambientales de Exposición Profesional adoptados por el Instituto Nacional de Seguridad y Salud en el Trabajo (INSST) para el año 2022.

The product does NOT contain substances with Biological Limit Values.

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

|                              |   |                                 |   |
|------------------------------|---|---------------------------------|---|
| <b>Concentration:</b>        | <b>100 %</b>  |                                 |   |
| <b>Uses:</b>                 | <b>Pintura elástica impermeable</b>   |                                 |   |
| <b>Breathing protection:</b> |   |                                 |   |
| PPE:                         | Filter mask for protection against gases and particles.   |                                 |    |
| Characteristics:             | «CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.   |                                 |   |
| CEN standards:               | EN 136, EN 140, EN 405  |                                 |   |
| Maintenance:                 | Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.  |                                 |   |
| Observations:                | Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer. |                                 |   |
| Filter Type needed:          | A2  |                                 |   |
| <b>Hand protection:</b>      |   |                                 |   |
| PPE:                         | Protective gloves against chemicals.  |                                 |  |
| Characteristics:             | «CE» marking, category III.   |                                 |   |
| CEN standards:               | EN 374-1, En 374-2, EN 374-3, EN 420  |                                 |   |
| Maintenance:                 | Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  |                                 |   |
| Observations:                | Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  |                                 |   |
| Material:                    | PVC (polyvinyl chloride)  | Breakthrough time (min.): > 480 | Material thickness (mm): 0,35   |
| <b>Eye protection:</b>       |   |                                 |   |
| PPE:                         | Protective goggles with built-in frame.   |                                 |  |
| Characteristics:             | «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  |                                 |   |
| CEN standards:               | EN 165, EN 166, EN 167, EN 168  |                                 |   |
| Maintenance:                 | Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.   |                                 |   |
| Observations:                | Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  |                                 |   |
| <b>Skin protection:</b>      |   |                                 |   |
| PPE:                         | Protective clothing.  |                                 |   |
| Characteristics:             | «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  |                                 |   |
| CEN standards:               | EN 340  |                                 |   |
| Maintenance:                 | In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.   |                                 |   |
| Observations:                | The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  |                                 |   |
| PPE:                         | Work footwear.  |                                 |   |
| Characteristics:             | «CE» marking, category II.  |                                 |   |
| CEN standards:               | EN ISO 13287, EN 20347  |                                 |   |
| Maintenance:                 | This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  |                                 |   |

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 6 of 9

Print date: 24/03/2023

Observations: Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

#### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid

Colour: Not applicable/Not available due to the nature/properties of the product

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: Not applicable/Not available due to the nature/properties of the product

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product

Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: Not applicable/Not available due to the nature/properties of the product

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: Not applicable/Not available due to the nature/properties of the product

Relative vapour density: Not applicable/Not available due to the nature/properties of the product

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Not applicable/Not available due to the nature/properties of the product

### SECTION 10: STABILITY AND REACTIVITY.

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

#### 10.4 Conditions to avoid.

Avoid any improper handling.

#### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

#### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

### SECTION 11: TOXICOLOGICAL INFORMATION.

#### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 7 of 9

Print date: 24/03/2023

a) acute toxicity;  
Not conclusive data for classification.

b) skin corrosion/irritation;  
Not conclusive data for classification.

c) serious eye damage/irritation;  
Not conclusive data for classification.

d) respiratory or skin sensitisation;  
Not conclusive data for classification.

e) germ cell mutagenicity;  
Not conclusive data for classification.

f) carcinogenicity;  
Not conclusive data for classification.

g) reproductive toxicity;  
Not conclusive data for classification.

h) STOT-single exposure;  
Not conclusive data for classification.

i) STOT-repeated exposure;  
Not conclusive data for classification.

j) aspiration hazard;  
Not conclusive data for classification.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 8 of 9

Print date: 24/03/2023

### SECTION 13: DISPOSAL CONSIDERATIONS.

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

#### 14.3 Transport hazard class(es).

Transportation is not dangerous.

#### 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEM – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

#### 14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

### SECTION 15: REGULATORY INFORMATION.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

#### Volatile organic compound (VOC)

VOC content (p/p): 0,021 %

VOC content: 0,189 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

-Continued on next page.-



# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



## HIDROPROOF

Version 1 Date of compilation: 18/01/2021

Version 2 (replaces version 1)

Revision date: 23/03/2023

Page 9 of 9

Print date: 24/03/2023

### SECTION 16: OTHER INFORMATION.

Classification codes:

Acute Tox. 2 : Acute toxicity (Dermal), Category 2  
Acute Tox. 2 : Acute toxicity (Inhalation), Category 2  
Acute Tox. 3 : Acute toxicity (Oral), Category 3  
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1  
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1  
Eye Dam. 1 : Serious eye damage, Category 1  
Skin Corr. 1C : Skin Corrosive, Category 1C  
Skin Sens. 1A : Skin sensitiser, Category 1A

Changes regarding to the previous version:

- Change in the emergency number (SECTION 1.4).
- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modifications in the first aid measures (SECTION 4.1).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modification of exposure data (SECTION 8.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- National legislative changes (SECTION 15.1).

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                       |                       |
|-----------------------|-----------------------|
| Physical hazards      | On basis of test data |
| Health hazards        | Calculation method    |
| Environmental hazards | Calculation method    |

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.

PPE: Personal protection equipment.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.